

Issuing Date 19-Mar-2015

Revision date 19-Mar-2015

Revision Number 1

**1. Identification of the Substance/Preparation and of the Company/Undertaking**

**Product identifier**

**Product name** 4710BK, 4711BK

**Other means of identification**

**Product Code(s)** 4710BK, 4711BK

**UN-No** UN1210

**Synonyms** No information available

**Recommended use of the chemical and restrictions on use**

**Recommended Use** ink.

**Uses advised against** No information available

**Details of the supplier of the safety data sheet**

**Manufacturer:**

Digital Design  
67 Sand Park Rd.  
Cedar Grove NJ 07009  
PH: (973) 857-9500

**Emergency telephone number** Chemtel 1-800-255-3924 (Domestic)  
01-813-248-0585 (International)

**2. Hazards Identification**

**Classification**

**OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 1
Flammable Liquids	Category 2

**Label Elements**

**EMERGENCY OVERVIEW**

**DANGER**

**Hazard statements**

Toxic if swallowed  
Toxic in contact with skin  
Harmful if inhaled  
Causes serious eye damage  
May cause cancer  
Causes damage to organs  
Highly flammable liquid and vapor

**Appearance** black**Physical state** liquid**Odor** solvent**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Use only outdoors or in a well-ventilated area  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Keep container tightly closed  
 Ground/bond container and receiving equipment  
 Use explosion-proof electrical/ventilating/lighting/ ? /equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge

**Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)  
 Specific measures (see supplemental first aid instructions on this label)  
 IF exposed: Call a POISON CENTER or doctor/physician  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician  
 Call a POISON CENTER or doctor/physician if you feel unwell  
 Wash contaminated clothing before reuse  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
 Rinse mouth  
 In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****OTHER INFORMATION**

- Toxic to aquatic life with long lasting effects
- Toxic to aquatic life

### 3. Composition/information on Ingredients

Chemical name	CAS-No	Weight %	Trade secret
Ethyl alcohol	64-17-5	25 - 50	*
Methyl alcohol	67-56-1	35 - 60	*
Black Dye	NOT AVAILABLE	1 - 10	*
Ester	Proprietary	1 - 5	*

Ketone	Proprietary	1 - 5	*
Isopropyl alcohol	67-63-0	1 - 5	*
Naphthalene	91-20-3	0.1 - <1	*
2-Naphthol	135-19-3	0.1 - <1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**NOTE**

Remaining components are either not hazardous or below threshold limits.

#### 4. First aid measures

**FIRST AID MEASURES**

<b>General advice</b>	Immediate medical attention is required. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If symptoms persist, call a physician.
<b>Eye contact</b>	Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician immediately. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. If symptoms persist, call a physician.
<b>IF ON SKIN</b>	Wash off immediately with plenty of water. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
<b>Inhalation</b>	Immediate medical attention is required. Remove to fresh air. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, give oxygen. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician or poison control center immediately. Drink plenty of water. Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting without medical advice. Consult a physician.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Use personal protective equipment as required.

**Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms and Effects** Hives.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

#### 5. Fire-fighting measures

**Suitable extinguishing media**

Use Carbon dioxide (CO<sub>2</sub>) Dry chemical Water spray, fog or alcohol-resistant foam

**Unsuitable extinguishing media** Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

**Specific hazards arising from the chemical**

No information available.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak.

**Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

## 7. Handling and Storage

**Precautions for safe handling**

**Handling** Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray.

**Conditions for safe storage, including any incompatibilities**

**Storage** Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place.

**Incompatible Products** Strong oxidizing agents. Acids. Chlorinated compounds. Strong acids.

## 8. Exposure Controls/Personal Protection

**Control parameters****Exposure guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	1000 ppm STEL	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Methyl alcohol 67-56-1	250 ppm STEL TWA: 200 ppm	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup>	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>
Ketone	750 ppm STEL TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup>	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>

Isopropyl alcohol 67-63-0	400 ppm STEL TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
------------------------------	------------------------------	--	---

NIOSH IDLH: *Immediately Dangerous to Life or Health*

### Appropriate engineering controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

<b>Eye/Face Protection</b>	Tight sealing safety goggles. Face protection shield.
<b>Skin and body protection</b>	Chemical resistant apron.
<b>Respiratory protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures** When using do not eat or drink. Regular cleaning of equipment, work area and clothing is recommended.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Odor</b>	solvent
<b>Appearance</b>	black	<b>Odor Threshold</b>	No information available
<b>color</b>	No information available		
<b>Property</b>	<b>Values</b>	<b>Remarks/ • Method</b>	
<b>pH</b>	5 - 7		
<b>Melting point / freezing point</b>	75 °C		
<b>Boiling point/range (°C) VALUE</b>	< 17 °C	Seta closed cup	
<b>Flash Point</b>	No information available		
<b>Evaporation Rate</b>	No information available		
<b>flammability (solid, gas)</b>	No information available		
<b>Flammability Limit in Air</b>			
<b>Upper Flammability Limit</b>	11.5 (volume % in Air)		
<b>Lower Flammability Limit</b>	1.8 (volume % in Air)		
<b>Vapor Pressure</b>	No information available		
<b>Vapor Density</b>	No information available		
<b>Specific gravity</b>	0.700 - 0.900	None known	
<b>Water solubility</b>	Practically insoluble (~0.4 ug/mL)		
<b>Solubility in other solvents</b>	No information available		
<b>Partition coefficient: n-octanol/water</b>	No information available		
<b>Autoignition temperature</b>	No information available		
<b>Decomposition temperature</b>	No information available		
<b>Kinematic viscosity</b>	No information available		
<b>Dynamic viscosity</b>	No information available		
<b>Explosive properties</b>	No information available		
<b>Oxidizing properties</b>	No information available		

### OTHER INFORMATION

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content</b>	No information available
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. Stability and Reactivity

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

### Conditions to avoid

Heating in air. Heat, flames and sparks.

### Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds. Strong acids.

### Hazardous decomposition products

Carbon oxides.

## 11. Toxicological Information

### Information on likely routes of exposure

#### Product Information

The product has not been tested

#### Inhalation

Toxic by inhalation. Avoid breathing vapors or mists. Aspiration into lungs can produce severe lung damage. Toxic: danger of very serious irreversible effects through inhalation. Harmful: possible risk of irreversible effects through inhalation.

#### Eye contact

Irritating to eyes. Avoid contact with eyes. May cause irritation. May cause irreversible damage to eyes.

#### IF ON SKIN

Avoid contact with skin. Toxic in contact with skin. Toxic: Danger of very serious irreversible effects in contact with the skin. Harmful: Possible risk of irreversible effects in contact with the skin.

#### Ingestion

Toxic if swallowed. Do NOT taste or swallow. Toxic: danger of very serious irreversible effects if swallowed. Harmful: possible risk of irreversible effects if swallowed.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L ( Rat ) 4 h
Methyl alcohol 67-56-1	= 6200 mg/kg ( Rat )	= 15800 mg/kg ( Rabbit )	= 22500 ppm ( Rat ) 8 h = 64000 ppm ( Rat ) 4 h
Ester	= 1540 mg/kg ( Rat )	-	> 5100 mg/m <sup>3</sup> ( Rat ) 4 h
Ketone	= 5800 mg/kg ( Rat )	-	= 50100 mg/m <sup>3</sup> ( Rat ) 8 h
Isopropyl alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Naphthalene 91-20-3	= 1110 mg/kg ( Rat ) = 490 mg/kg ( Rat )	(= 1120 mg/kg ( Rabbit ) > 20 g/kg ( Rabbit )	> 340 mg/m <sup>3</sup> ( Rat ) 1 h
2-Naphthol 135-19-3	= 1320 mg/kg ( Rat )	> 10 g/kg ( Rabbit )	= 2.2 mg/L ( Rat ) 4 h > 770 mg/m <sup>3</sup> ( Rat ) 1 h

### Information on toxicological effects

#### Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### irritation

Irritating to eyes, respiratory system and skin.

#### Sensitization

No information available.

**Mutagenic effects**

No information available.

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	-	Group 1	Known	X
Isopropyl alcohol 67-63-0	-	Group 3	-	X
Naphthalene 91-20-3	-	Group 2A Group 2B	Reasonably Anticipated	X

**IARC: (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

**NTP: (National Toxicity Program)**

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Known - Known Carcinogen

**Reproductive toxicity**

May impair fertility.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Chronic toxicity**

Avoid repeated exposure. Possible risks of irreversible effects. May impair fertility. Contains a known or suspected reproductive toxin.

**Target organ effects**

liver, Respiratory System, EYES, skin, Central Nervous System (CNS), blood, Reproductive System, Gastrointestinal tract (GI).

**Aspiration hazard**

No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 258 mg/kg

ATEmix (dermal) 788 mg/kg

ATEmix (inhalation-dust/mist) 1.3 mg/l

**12. Ecological Information****ecotoxicity**

0.825% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Ethyl alcohol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
Methyl alcohol 67-56-1	-	28200: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through	-
Ester	360: 72 h Desmodium subspicatus mg/L EC50 79: 96 h Desmodium subspicatus mg/L EC50	220 - 460: 96 h Leuciscus idus mg/L LC50 static	500: 48 h Daphnia magna Straus mg/L EC50
Ketone	-	4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50
Isopropyl alcohol 67-63-0	1000: 96 h Desmodium subspicatus mg/L EC50 1000: 72 h Desmodium subspicatus	9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis	13299: 48 h Daphnia magna mg/L EC50

	mg/L EC50	macrochirus µg/L LC50 11130: 96 h Pimephales promelas mg/L LC50 static	
Naphthalene 91-20-3	0.4: 72 h Skeletonema costatum mg/L EC50	5.74 - 6.44: 96 h Pimephales promelas mg/L LC50 flow-through 1.6: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.91 - 2.82: 96 h Oncorhynchus mykiss mg/L LC50 static 1.99: 96 h Pimephales promelas mg/L LC50 static 31.0265: 96 h Lepomis macrochirus mg/L LC50 static	2.16: 48 h Daphnia magna mg/L LC50 1.96: 48 h Daphnia magna mg/L EC50 Flow through 1.09 - 3.4: 48 h Daphnia magna mg/L EC50 Static
2-Naphthol 135-19-3	18.8: 4 h Pseudokirchneriella subcapitata mg/L EC50	2.43 - 3.9: 96 h Pimephales promelas mg/L LC50 static	3.17 - 3.95: 48 h Daphnia magna mg/L LC50

**Persistence and degradability**

No information available.

**Bioaccumulation/Accumulation**

No information available.

Chemical name	Log Pow
Ethyl alcohol 64-17-5	-0.32
Methyl alcohol 67-56-1	-0.77
Ester	-0.566
Ketone	-0.24
Isopropyl alcohol 67-63-0	0.05
Naphthalene 91-20-3	3.3
2-Naphthol 135-19-3	2.84

**Other adverse effects**

No information available

**13. Disposal Considerations****Waste treatment methods****Waste treatment methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Should not be released into the environment. This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

**Contaminated packaging**

Do not re-use empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol 67-56-1	-	Included in waste stream: F039	-	Ignitable waste
Ketone	-	Included in waste stream: F039	-	Ignitable waste
Naphthalene 91-20-3	waste number U165	Included in waste streams: F024, F025, F034, F039, K001, K035, K060, K087, K145	-	-

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene 91-20-3	-	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and	-



			spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	
--	--	--	--	--

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Ethyl alcohol 64-17-5	Toxic; Ignitable
Methyl alcohol 67-56-1	Toxic; Ignitable
Ketone	Ignitable
Isopropyl alcohol 67-63-0	Toxic, Ignitable
Naphthalene 91-20-3	Toxic

#### 14. Transport Information

<b>DOT</b>	Regulated
<b>UN-No</b>	UN1210
<b>Hazard Class</b>	3
<b>Packing group</b>	II
<b>TDG</b>	Not regulated
<b>MEX</b>	Not regulated
<b>ICAO</b>	Not regulated
<b>IATA</b>	
<b>UN-No</b>	UN1210
<b>Hazard Class</b>	3
<b>Packing group</b>	II
<b>IMDG/IMO</b>	Not regulated
<b>RID</b>	Not regulated
<b>ADR</b>	Not regulated
<b>ADN</b>	Not regulated

#### 15. Regulatory Information

##### International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Ethyl alcohol 64-17-5	X	X	X	X	X	X	X	X
Methyl alcohol 67-56-1	X	X	X	X	X	X	X	X
Ester	X	X	X	X	X	X	X	X

Ketone	X	X	X	X	X	X	X	X
Isopropyl alcohol 67-63-0	X	X	X	X	X	X	X	X
Naphthalene 91-20-3	X	X	X	X	X	X	X	X
2-Naphthol 135-19-3	X	X	X	X	X	X	X	X

### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Methyl alcohol - 67-56-1	1.0
Isopropyl alcohol - 67-63-0	1.0
Naphthalene - 91-20-3	0.1

#### SARA 311/312 Hazard Categories

Acute health hazard	Category 1
Chronic Health Hazard	Category 1
Fire hazard	Category 1
Sudden release of pressure hazard	No
Reactive Hazard	No

#### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances		
Naphthalene 91-20-3	100 lb	X	X	X		
Chemical name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	67-56-1	35 - 60	Present	Group IV		
Ester		1 - 5		Group I		
Ketone		1 - 5		Group I		
Naphthalene	91-20-3	0.1 - <1	Present	Group IV		
2-Naphthol	135-19-3	0.1 - <1		Group IV		

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Methyl alcohol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Ketone	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Naphthalene 91-20-3	1 lb	-	RQ 1 lb final RQ RQ 0.454 kg final RQ

**U.S. State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Prop. 65
Ethyl alcohol - 64-17-5	Carcinogen Developmental
Methyl alcohol - 67-56-1	Developmental
Naphthalene - 91-20-3	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	X
Methyl alcohol 67-56-1	X	X	X
Ketone	X	X	X
Isopropyl alcohol 67-63-0	X	X	X
Naphthalene 91-20-3	X	X	X

**U.S. EPA Label Information**

EPA Pesticide registration number Not applicable

<b>16. Other Information</b>
------------------------------

<b>NFPA</b>	Health hazard 3	flammability 3	Instability 0	Physical and chemical properties -
<b>HMIS</b>	Health hazard 3	flammability 3	Physical hazards 0	Personal precautions X

Issuing Date 19-Mar-2015

Revision date 19-Mar-2015

**Revision note**

No information available

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**